


Sintered Neodymium Rectangle & Ring Magnets



SINTERED NEODYMIUM RECTANGLE MAGNETS


EAM Part No.	Length	Width	Thickness	Lift Strength	MGOe	Grade	Max Operating Temp. (C)	Finish	Machineable?	Impact Resistance
RE-0087	0.374"	0.124"	0.540"	2.5	35	35	150°	Nickel Plated	No	Moderate
RE-0115	2.00"	2.00"	0.500"	51	35	35	150°	Nickel Plated	No	Moderate
RE-0122	0.500"	0.145"	0.083"	3.5	35	35	150°	Nickel Plated	No	Moderate
RE-0133	1.875"	0.875"	0.312"	28	35	35	150°	Nickel Plated	No	Moderate
RE-0301	1.625"	0.625"	0.050"	6.8	35	35	150°	Nickel Plated	No	Moderate

SINTERED NEODYMIUM MAGNETIC RINGS

EAM Part No.	Outer Dia.	Inner Dia.	Thickness	Lift Strength	MGOe	Grade	Max Operating Temp. (C)	Finish	Machineable?	Impact Resistance
RE-0081	0.250"	0.063"	0.080"	1.3	35	35	150°	Nickel Plated	No	Moderate
RE-0347	1.00"	0.125"	0.600"	5	35	35	150°	Nickel Plated	No	Moderate



Standard Sintered Neodymium Magnets



SINTERED NEODYMIUM MAGNETIC DISKS									
EAM Part No.	Outer Diameter	Thickness	Lift Strength	MGOe	Grade	Max Operating Temp. (C)	Finish	Machineable?	Impact Resistance
RE-0022	0.250"	0.200"	3.25	35	35	150°	Nickel Plated	No	Moderate
RE-0035	0.375"	0.100"	4	35	35	150°	Nickel Plated	No	Moderate
RE-0179	0.500"	0.375"	11	35	35	150°	Nickel Plated	No	Moderate
RE-0233	1.00"	0.250"	18	35	35	150°	Nickel Plated	No	Moderate
RE-0334	0.320"	0.072"	3.2	35	35	150°	Nickel Plated	No	Moderate
RE-0455	0.250"	0.125"	3	32	35	150°	Nickel Plated	No	Moderate
RE-0456	0.250"	0.250"	3.5	35	35	150°	Nickel Plated	No	Moderate
RE-0457	0.125"	0.125"	0.63	35	35	150°	Nickel Plated	No	Moderate
RE-0458	0.500"	0.250"	7	35	35	150°	Nickel Plated	No	Moderate
RE-0459	0.500"	0.190"	5.72	35	35	150°	Nickel Plated	No	Moderate
RE-0460	0.375"	0.205"	4.74	35	35	150°	Nickel Plated	No	Moderate
RE-0461	0.250"	0.100"	1.49	35	35	150°	Nickel Plated	No	Moderate
RE-0462	0.875"	0.375"	15	35	35	150°	Nickel Plated	No	Moderate